

HWC-Sub Centre (HWC-SC) FORMAT

Name of HWC-SC/SC:.....

State:.....

District:.....

Number of Beds:.....

Reporting Month:.....

FY:.....

Name & Designation of the person reported data:.....

Date of reporting Data:.....

Facility Type	Facility Code	Data Item	Numbers reported during the month(In-facility)	Numbers reported during the month(Out each)
HWC-S	Part A	REPRODUCTIVE AND CHILD HEALTH		
HWC-S	M1	Ante Natal Care (ANC) Services & High Risk Pregnancies		
HWC-S	1.1.	Total number of NEW Pregnant Women registered for ANC		
HWC-S	1.1.a	Out of total number of NEW pregnant women registered with age <15 years		
HWC-S	1.1.b	Out of total number of NEW pregnant women registered with age 15-19 years		
HWC-S	1.1.c	Out of total number of NEW pregnant women registered with age >19 to 49 years		
HWC-S	1.1.d	Out of total number of NEW pregnant women registered with age >49 years		
HWC-S	1.1.1.	Out of the total NEW ANC registered, number registered within 1 st trimester (within 12 weeks)		
HWC-S	1.1.2	Total ANC footfall/cases (Old cases + New Registration) attended		
HWC-S	1.2	ANC services		
HWC-S	1.2.1.	Number of PW given Td1(Tetanus Diptheria dose 1)		
HWC-S	1.2.2.	Number of PW given Td2(Tetanus Diptheria dose 2)		
HWC-S	1.2.3.	Number of PW given Td Booster (Tetanus Diptheria dose booster)		
HWC-S	1.2.4.	Number of PW provided full course 180 Iron Folic Acid (IFA) tablets		
HWC-S	1.2.5.	Number of PW provided full course 360 Calcium tablets		
HWC-S	1.2.6.	Number of PW given one Albendazole tablet after 1st trimester		
HWC-S	1.2.7.	Number of PW received 4 or more ANC check ups		
HWC-S	1.2.8.	Number of PW given ANC Corticosteroids in Pre-Term Labour		
HWC-S	1.3	Pregnant Women (PW) with Hypertension (BP>140/90)		
HWC-S	1.3.1.	New cases of PW with hypertension detected		
HWC-S	1.4	Pregnant Women (PW) with Anaemia		
HWC-S	1.4.1.	Number of PW tested for Haemoglobin (Hb) 4 or more than 4 times for respective ANCs		
HWC-S	1.4.2.	Number of PW having Hb level<11(7.1 to 10.9 g/dl) (Out of total tested cases)		
HWC-S	1.4.3.	Number of PW having Hb level<=7 g/dl (Out of total tested cases)		
HWC-S	1.5	Pregnant Women (PW) with Gestational Diabetes Mellitus (GDM)		
HWC-S	1.5.1.	Number of PW tested for Blood Sugar using OGTT(Oral Glucose Tolerance Test)		
HWC-S	1.5.2.	Number of PW tested positive for GDM		
HWC-S	1.5.3.	Number of PW given Metformin out of total tested positive for GDM		
HWC-S	1.6	Pregnant Women (PW) with Syphilis		
HWC-S	1.6.1	Syphilis test conducted for Pregnant Women		
HWC-S	1.6.1.a	Number of pregnant/Direct-In-Labor (DIL) women screened/tested (with VDRL/RPR/TPHA/RDT/PoC) for Syphilis		
HWC-S	1.6.1.b	Number of pregnant/DIL women found seropositive for Syphilis by VDRL/RPR/TPHA/RDT/PoC test		
HWC-S	1.6.1.c	Number of pregnant/DIL women found Syphilis-Seropositive and given treatment with injection Benzathine Penicillin (IM)		
HWC-S	1.6.1.d	Number of live births among Syphilis seropositive Pregnant Women		
HWC-S	1.6.1.e	Number of babies born to Syphilis-Seropositive Pregnant Women tested positive/ clinically diagnosed for congenital Syphilis		
HWC-S	1.6.1.f	Out of above, babies with congenital Syphilis received curative treatment		
HWC-S	1.7	Tuberculosis test conducted for Pregnant Women		
HWC-S	1.7.1.a	Number of Pregnant Women screened for TB		

Facility Type	Facility Code	Data Item	Numbers reported during the month(In-facility)	Numbers reported during the month(Outreach)
HWC-S	1.7.1.b	Number of Pregnant Women identified with Presumptive TB symptoms		
HWC-S	1.7.1.c	Number of Pregnant Women referred out of those identified with Presumptive TB symptoms		
HWC-S	1.8	High Risk /Complicated Pregnancies		
HWC-S	1.8.1.	Total High Risk Pregnancy (HRP)Intrapartum including following:		
HWC-S	1.8.1.a.	Number of Pregnant Women with Ante Partum Haemorrhage in the facility.		
HWC-S	1.8.1.b.	Number of Pregnant Women with Post-Partum Haemorrhage in the facility.		
HWC-S	1.8.1.c.	Number of Pregnant Women with Sepsis in the facility.		
HWC-S	1.8.1.d.	Number of Pregnant Women identified with Eclampsia in the facility.		
HWC-S	1.8.1.e.	Number of Pregnant Women identified with obstructed labour in the facility.		
HWC-S	1.8.2.	Total High Risk Pregnancy (HRP) Antepartum (Only New Cases are to be reported)		
HWC-S	1.8.3.	Total no. of ANC or PNC cases referred to Higher/ any other facility		
HWC-S	M2	Deliveries		
HWC-S	2.1	Deliveries conducted at Home		
HWC-S	2.1.1.	Number of Home Deliveries attended by		
HWC-S	2.1.1.a	<i>Number of Home Deliveries attended by Skill Birth Attendant(SBA) (Doctor/Nurse/ANM)</i>		
HWC-S	2.1.1.b	<i>Number of Home Deliveries attended by Non SBA (Trained Birth Attendant(TBA) /Relatives/etc.)</i>		
HWC-S	2.1.2.	<i>Number of PW given Tablet Misoprostol during home delivery</i>		
HWC-S	2.1.3.	<i>Number of newborns received 7 Home Based Newborn Care (HBNC) visits in case of Home delivery</i>		
HWC-S	2.2.	Number of Institutional Deliveries conducted (Including C-Sections)		
HWC-S	2.2.1.	Out of total institutional deliveries(excluding C-section), number of women stayed for 48 hours or more after delivery		
HWC-S	2.2.2	Out of total Institutional deliveries, number of Institutional Deliveries conducted (Excluding C-Sections) performed at night (8 PM- 8 AM)		
HWC-S	2.3	Total number of delivery (Home +Institutional) reported		
HWC-S	2.3.1.	Out of total number of delivery, PW with age <15 years		
HWC-S	2.3.2.	Out of total number of delivery, PW with age 15-19 years		
HWC-S	2.3.3.	Out of total number of delivery, PW with age >19-49 years		
HWC-S	2.3.4.	Out of total number number of delivery, PW with age > 49 years		
HWC-S	2.4.	<i>Number of newborns received 6 HBNC visits after Institutional Delivery</i>		
HWC-S	2.5.	<i>No. of identified Sick new-borns referred by ASHA to facility under HBNC Program</i>		
HWC-S	2.6.	<i>Total number of Children received all scheduled 5 Home visits under HBYC</i>		
HWC-S	M3	Pregnancy outcome & details of new-born		
HWC-S	3.1	Pregnancy Outcome (in number)		
HWC-S	3.1.1	Live Birth		
HWC-S	3.1.1.a	Live Birth - Male		
HWC-S	3.1.1.b	Live Birth - Female		
HWC-S	3.1.2	Number of Pre-Term newborns (< 37 weeks of pregnancy)		
HWC-S	3.1.3	Still Birth		
HWC-S	3.1.3.a	Intrapartum (Fresh) Still Birth		
HWC-S	3.1.3.b	Antepartum (Macerated) Still Birth		
HWC-S	3.2	Abortion (spontaneous)		
HWC-S	3.3.1	Post-abortion/MTP Complications		
HWC-S	3.3.1.a	Post-abortion/MTP Complications Identified		
HWC-S	3.3.1.b.	Post-abortion/MTP complications identified (where abortions were carried out in facilities other than public and accredited private health facilities)		
HWC-S	3.4	Details of Newborn children		
HWC-S	3.4.1.	Number of newborns weighed at birth		
HWC-S	3.4.2.	Number of newborns having weight less than 2500 gm		

Facility Type	Facility Code	Data Item	Numbers reported during the month(In-facility)	Numbers reported during the month(Outreach)
HWC-S	3.4.2.a	Out of the above, number of newborns having weight less than 1800 gm		
HWC-S	3.4.3.	Number of Newborns breast fed within 1 hour of birth		
HWC-S	3.4.4.	No of Newborn discharged from the facility were exclusively breastfed till discharge		
HWC-S	3.5.	Rashtriya Bal Swasthaya Karyakram (RBSK)		
HWC-S	3.5.1	Number of newborn screened for defects at birth (as per Comprehensive Newborn Screening, RBSK)		
HWC-S	3.5.1.a	Number of newborns identified with visible birth defects (including Neural tube defect, Down's Syndrome, Cleft Lip & Palate, Club foot and Developmental dysplasia of the hip)		
HWC-S	M 4	Anaemia Mukht Bharat		
HWC-S	4.1	IFA Coverage		
HWC-S	4.1.1.	Number of women of reproductive age (WRA) 20-49 years (non-pregnant, non-lactating), provided 4 Red Iron and folic acid (IFA) tablets in a month		
HWC-S	4.1.2.	Number of children (6-59 months old) provided 8-10 doses (1ml) of IFA syrup (Bi weekly)		
HWC-S	4.1.3	Number of children 5-9 years provided Weekly Iron Folic Acid (IFA Pink) tablets in a month		
HWC-S	4.1.3.a	<i>Number of out of school children (5 -9 years) given 4-5 IFA Pink tablets at Anganwadi Centres</i>		
HWC-S	4.2	Anaemia- Identified & Treated		
HWC-S	4.2.1	Beneficiaries identified with Mild and Moderate Anaemia		
HWC-S	4.2.1.a	Number of out of school adolescent girls (10-19 years) having anaemia (Hb 8.1-11.9 g/dl)		
HWC-S	4.2.1.b	Number of lactating mothers (of 0-6 months old child) having anaemia (Hb 8.1-11.9 g/dl)		
HWC-S	4.2.1.c	Number of women of reproductive age (non-pregnant, non-lactating) (20-49 years) having anaemia (Hb 8.1-11.9 g/dl)		
HWC-S	4.2.2	Beneficiaries identified with Severe Anaemia		
HWC-S	4.2.2.a	Number of out of school adolescent girls (10-19 years) having severe anaemia (Hb <8 g/dl)		
HWC-S	4.2.2.b	Number of lactating mothers (of 0-6 months old child) having severe anaemia ((Hb <8 g/dl)		
HWC-S	4.2.2.c	Number of women of reproductive age (non-pregnant, non-lactating) (20-49 years) having severe anaemia (Hb <8 g/dl)		
HWC-S	4.2.3	Beneficiaries diagnosed with mild and moderate Anaemia, put on treatment		
HWC-S	4.2.3.a	Number of anaemic in-school Children (5-9 years) put on treatment		
HWC-S	4.2.3.b	Number of anaemic in-school adolescent girls (10-19 years) put on treatment		
HWC-S	4.2.3.c	Number of anaemic out of school adolescent girls (10-19 years) put on treatment		
HWC-S	4.2.3.d	Number of anaemic in-school adolescent boys (10-19 years) put on treatment		
HWC-S	4.2.3.e	Number of anaemic lactating mothers (of 0-6 months old child) put on treatment		
HWC-S	4.2.3.f	Number of anaemic women of reproductive age (non-pregnant, non-lactating) (20-49 years) put on treatment		
HWC-S	M5	Post Natal Care (PNC)		
HWC-S	5.1.	In case of home delivery, number of women receiving 1 st post partum checkups within 48 hours		
HWC-S	5.2.	Number of women receiving 1st post partum checkup between 48 hours and 14 days after Institutional delivery		
HWC-S	5.3.	Number of mothers provided full course of 180 IFA tablets after delivery		
HWC-S	5.4.	Number of mothers provided full course 360 Calcium tablets after delivery		
HWC-S	M6	Reproductive Tract Infections/Sexually transmitted infections (RTI/STI) Cases		
HWC-S	6.1	Number of new RTI/STI cases identified		
HWC-S	6.1.1.	Number of males assessed for STI/RTI		
HWC-S	6.1.1.a	Out of the above, number of males diagnosed with STI/RTI		
HWC-S	6.1.1.b	Out of the above, number of males treated for STI/RTI		

Facility Type	Facility Code	Data Item	Numbers reported during the month(In-facility)	Numbers reported during the month(Out each)
HWC-S	6.1.2.	Number of females (all females) assessed for STI/RTI		
HWC-S	6.1.2.a	Out of the above, number of females (all females) diagnosed with STI/RTI		
HWC-S	6.1.2.b	Out of the above, number of females ((all females) treated for STI/RTI		
HWC-S	6.1.3.	Number of H/TG assessed for STI/RTI		
HWC-S	6.1.3.a	Out of the above, number of H/TG people diagnosed with STI/RTI		
HWC-S	6.1.3.b	Out of the above, number of H/TG people treated for STI/RTI		
HWC-S	M7	Family Planning		
HWC-S	7.1.	Number of Interval IUCD Insertions (excluding PPIUCD and PAIUCD)		
HWC-S	7.2.	Number of Post-partum (within 48 hours of delivery) IUCD insertions		
HWC-S	7.3.	Number of IUCD Removals		
HWC-S	7.4.	Number of complications following IUCD Insertion		
HWC-S	7.5.	Injectable Contraceptive MPA- First Dose		
HWC-S	7.6.	Injectable Contraceptive MPA- Second Dose		
HWC-S	7.7.	Injectable Contraceptive MPA- Third Dose		
HWC-S	7.8.	Injectable Contraceptive MPA- Fourth and above Dose		
HWC-S	7.9.	Number of Combined Oral Pill cycles distributed to the beneficiary		
HWC-S	7.10.	Number of Condom pieces distributed to the beneficiary		
HWC-S	7.11.	Number of Centchroman (weekly) pill strips distributed to the beneficiary		
HWC-S	7.12.	Number of Emergency Contraceptive Pills (ECP) given to the beneficiary		
HWC-S	7.13.	Number of Pregnancy Test Kits (PTK) utilized		
HWC-S	7.14	Quality in sterilization services		
HWC-S	7.14.1	Complications following male sterilization		
HWC-S	7.14.2	Complications following female sterilization		
HWC-S	M8	CHILD IMMUNISATION		
HWC-S	8.1	Number of Infants 0 to 11 months old who received:		
HWC-S	8.1.1.	Child immunisation - Vitamin K (Birth Dose)		
HWC-S	8.1.2.	Child immunisation - BCG		
HWC-S	8.1.3.	Child immunisation - Pentavalent 1		
HWC-S	8.1.4.	Child immunisation - Pentavalent 2		
HWC-S	8.1.5.	Child immunisation - Pentavalent 3		
HWC-S	8.1.6.	Child immunisation - OPV 0 (Birth Dose)		
HWC-S	8.1.7.	Child immunisation - OPV1		
HWC-S	8.1.8.	Child immunisation - OPV2		
HWC-S	8.1.9.	Child immunisation - OPV3		
HWC-S	8.1.10.	Child immunisation - Hepatitis-B0 (Birth Dose)		
HWC-S	8.1.11.	Child immunisation - Inactivated Injectable Polio Vaccine 1 (IPV 1)		
HWC-S	8.1.12.	Child immunisation - Inactivated Injectable Polio Vaccine 2 (IPV 2)		
HWC-S	8.1.13.	Child immunisation - Rotavirus 1		
HWC-S	8.1.14.	Child immunisation - Rotavirus 2		
HWC-S	8.1.15.	Child immunisation - Rotavirus 3		
HWC-S	8.1.16.	Child immunisation - PCV1		
HWC-S	8.1.17.	Child immunisation - PCV2		
HWC-S	8.2	Number of Children 9-11 months who received:		
HWC-S	8.2.1.	Child immunisation(9 - 11 months) - Inactivated Injectable Polio Vaccine 3 (IPV 3)		
HWC-S	8.2.2.	Child immunisation (9-11months) - Measles & Rubella (MR)/Measles containing vaccine(MCV) - 1 st Dose		
HWC-S	8.2.3.	Child immunisation (9-11months) - JE 1 st dose		
HWC-S	8.2.4.	Child immunisation - PCV Booster		
HWC-S	8.2.5	Number of children aged between 9 and <12 months FULLY IMMUNIZED {BCG +OPV123+ Pentavalent123+ MR/ Measles Containing Vaccine (MCV)- 1st Dose}		
HWC-S	8.2.5.a	FULLY IMMUNIZED children aged between 9 and <12 months- Male		
HWC-S	8.2.5.b	FULLY IMMUNIZED children aged between 9 and <12 months- Female		

Facility Type	Facility Code	Data Item	Numbers reported during the month(In-facility)	Numbers reported during the month(Outreach)
HWC-S	8.3	Children given following vaccination after 12 months		
HWC-S	8.3.1.	Child immunisation(after 12 months) - Measles & Rubella (MR)/Measles containing vaccine(MCV)- 1st Dose		
HWC-S	8.3.2.	Child immunisation (after 12 months) - JE 1st dose		
HWC-S	8.3.3.	Child immunisation - DPT 1 after 12 months of age		
HWC-S	8.3.4.	Child immunisation - DPT 2 after 12 months of age		
HWC-S	8.3.5.	Child immunisation - DPT 3 after 12 months of age		
HWC-S	8.4	Number of Children more than 12 months who received:		
HWC-S	8.4.1.	Child immunisation - Measles & Rubella (MR)/ Measles containing vaccine(MCV)- 2nd Dose (16-24 months)		
HWC-S	8.4.2.	Child immunisation - DPT 1st Booster		
HWC-S	8.4.3.	Child immunisation - OPV Booster		
HWC-S	8.4.4.	Number of children more than 16 months of age who received Japanese Encephalitis (JE) vaccine- 2nd dose (16-24 months)		
HWC-S	8.5	Number of Children more than 23 months who received:		
HWC-S	8.5.1.	Children more than 5 years received DPT5 (2nd Booster)		
HWC-S	8.5.2.	Children more than 10 years received Td10 (Tetanus Diptherial0)		
HWC-S	8.5.3.	Children more than 16 years received Td16 (Tetanus Diptherial6)		
HWC-S	8.6	Adverse Event Following Immunisation (AEFI)		
HWC-S	8.6.1.	Number of cases of AEFI -Minor (eg.- fever, rash, pain etc)		
HWC-S	8.6.2.	Number of cases of AEFI - Severe (eg.- anaphylaxis, fever>102 degrees, not requiring hospitalization etc.)		
HWC-S	8.6.3.	Number of cases of AEFI - Serious (eg.- hospitalization, death, disability , cluster etc.)		
HWC-S	8.6.3.a	Out of Number of cases of AEFI - Serious , total number of AEFI deaths		
HWC-S	8.7	Number of Immunisation sessions		
HWC-S	8.7.1.	Immunisation sessions planned		
HWC-S	8.7.2.	Immunisation sessions held		
HWC-S	8.8	Children received Vitamin A Doses between 9 months and 5 years		
HWC-S	8.8.1.	Child immunisation - Vitamin A Dose - 1		
HWC-S	8.8.2.	Child immunisation - Vitamin A Dose - 5		
HWC-S	8.8.3.	Child immunisation - Vitamin A Dose - 9		
HWC-S	M9	Number of cases of Childhood Diseases (0-5 years)		
HWC-S	9.1	OPD (excluding teleconsultation)		
HWC-S	9.1.1.	Childhood Diseases - Malaria		
HWC-S	9.1.2.	Childhood Diseases - Diarrhoea		
HWC-S	9.1.3.	Childhood Diseases - Diarrhoea treated with ORS		
HWC-S	9.1.4.	Childhood Diseases - Diarrhoea treated with Zinc for 14 days		
HWC-S	M10	National Vector Borne Disease Control Programme(NVBDCP)		
HWC-S	10.1	Malaria		
HWC-S	10.1.1	Rapid Diagnostic Test (RDT)		
HWC-S	10.1.1.a	RDT conducted for Malaria		
HWC-S	10.1.1.b	Malaria (RDT) - Plasmodium Vivax test positive		
HWC-S	10.1.1.c	Malaria (RDT) - Plasmodium Falciparum test positive		
HWC-S	10.1.1.d	Malaria (RDT) - Mixed test positive		
HWC-S	10.2	Lymphatic Filaraisis		
HWC-S	10.2.1.	Number of persons that consumed MDA(Mass Drug Administration) drugs during the MDA round		
HWC-S	10.2.2.	Number of Lymphatic Filarisis lymphoedema patients received MMDP(Morbidity Management And Disability Prevention) kits		
HWC-S	M11	Adolescent Health		
HWC-S	11.1.	Coverage under MHS- Menstrual Hygiene Scheme (GOI supported)		
HWC-S	11.1.1.	<i>Number of adolescent girls provided sanitary napkin packs by ASHA</i>		
HWC-S	11.1.2.	Number of sanitary napkin packs distributed free to ASHA		

Facility Type	Facility Code	Data Item	Numbers reported during the month(In-facility)	Numbers reported during the month(Outreach)
HWC-S	11.1.3.	<i>Number of adolescent girls attended monthly meeting</i>		
HWC-S	11.1.4.	Number of adolescent girls provided sanitary napkin packs by State/UT supported Menstrual Hygiene Scheme (MHS)		
HWC-S	11.2	Peer Educator Programme		
HWC-S	11.2.1.	Number of Peer Educators selected		
HWC-S	11.2.2.	Out of the selected Peer Educators, numbers trained		
HWC-S	11.2.3.	Number of Adolescent Health & Wellness Days organized		
HWC-S	11.2.4.	Number of Adolescent Friendly Club Meetings organized		
HWC-S	M12	National TB Elimination Programme (NTEP)		
HWC-S	12.1.	Number of notified TB patients who are on Anti Tuberculosis Therapy		
HWC-S	12.2.	Number of Presumptive TB (ie with 4 Symptom complex of TB) identified and sent for any TB testing within the facility		
HWC-S	12.3.	Number of Presumptive TB (ie with 4 Symptom complex of TB) identified and sent for any TB testing outside the facility		
HWC-S	12.4.	Of the number sent for testing, number who were tested (by any test) for TB within the facility		
HWC-S	12.5.	Of the number sent for testing, number who were tested (by any test) for TB outside the facility		
HWC-S	12.6.	Of the number tested, number of persons diagnosed as TB patients.		
HWC-S	12.7.	Number of TB patients availing treatment through a Treatment supporter for the reporting month		
HWC-S	12.8.	Number of Directly Observed Treatment, Short-course (DOTS) cases completed successfully		
HWC-S	Part B	Health Facility Services		
HWC-S	M.13	Patient Services		
HWC-S	13.1	Out Patient Department (Outpatients) by disease/ health condition (excluding teleconsultation)		
HWC-S	13.1.1.	Outpatient - Diabetes		
HWC-S	13.1.2.	Outpatient - Hypertension		
HWC-S	13.1.3.	Outpatient - Stroke (Paralysis)		
HWC-S	13.1.4.	Outpatient - Cardiovascular Disease		
HWC-S	13.1.5.	Outpatient - Mental illness		
HWC-S	13.1.6.	Outpatient - Epilepsy		
HWC-S	13.1.7.	Outpatient - Ophthalmic Related		
HWC-S	13.1.8.	Outpatient - Dental		
HWC-S	13.1.9.	Outpatient - ENT		
HWC-S	13.1.10.	Outpatients- Asthma		
HWC-S	13.1.11.	Outpatient - COPD		
HWC-S	13.1.12.	Outpatient - Tuberculosis		
HWC-S	13.1.13.	Outpatient - Palliative Care		
HWC-S	13.1.14.	Number of Palliative Patients visited at home		
HWC-S	13.2	Outpatient attendance (All) (excluding teleconsultation)		
HWC-S	13.2.1.	Allopathic- Outpatient attendance		
HWC-S	13.2.2.	Ayush - Outpatient attendance		
HWC-S	13.3	Inpatient details		
HWC-S	13.3.1	Total Number of cases Referred out (OPD+IPD+Emergency)		
HWC-S	13.3.1.a	Total cases Referred out (OPD+IPD+Emergency)-During Day		
HWC-S	13.4	Janani Shishu Suraksha Karyakram (JSSK)		
HWC-S	13.4.1	Number of Pregnant Women provided		
HWC-S	13.4.1.a	Total number of Pregnant Women - JSSK Beneficiaries		
HWC-S	13.4.1.b	Number of Pregnant Women provided - Free Medicines under JSSK		
HWC-S	13.4.1.c	Number of Pregnant Women provided - Free Diet under JSSK		
HWC-S	13.4.1.d	Number of Pregnant Women provided - Free Diagnostics under JSSK		
HWC-S	13.4.1.e	Number of Pregnant Women provided - Free Home to facility transport under JSSK		

Facility Type	Facility Code	Data Item	Numbers reported during the month(In-facility)	Numbers reported during the month(Outreach)
HWC-S	13.4.1.f	Number of Pregnant Women provided - Interfacility transfers when needed under JSSK		
HWC-S	13.4.1.g	Number of Pregnant Women provided - Free Drop Back home under JSSK		
HWC-S	13.4.2	Number of sick infants provided		
HWC-S	13.4.2.a	Number of infants admitted at facility due to any sickness- JSSK Beneficiaries		
HWC-S	13.4.2.b	Number of sick infants provided - Free Medicines under JSSK		
HWC-S	13.4.2.c	Number of sick infants provided - Free Home to facility transport under JSSK		
HWC-S	13.4.2.d	Number of sick infants provided - Interfacility transfers when needed under JSSK		
HWC-S	13.4.2.e	Number of sick infants provided - Free Drop Back home under JSSK		
HWC-S	13.5	Number of Anganwadi centres reported to have conducted atleast one Village Health & Nutrition Day (VHNDs)/ Outreach / Special Outreach sessions		
HWC-S	13.6	Stock outs		
HWC-S	13.6.a	Total no. of essential drugs for which stock-outs reported		
HWC-S	13.7	Total number of UHND sessions conducted in the reporting month		
HWC-S	13.8	Total number of Special Outreach camps conducted in the reporting month		
HWC-S	13.9	National Viral Hepatitis Control Program (Diagnosis and Management of viral hepatitis)		
HWC-S	13.9.1	Total number of blood samples screened by ELISA/Rapid tests for viral hepatitis		
HWC-S	13.9.1.a	Total number of blood samples screened by ELISA/Rapid tests for viral hepatitis B		
HWC-S	13.9.1.b	Total number of blood samples screened by ELISA/Rapid tests for viral hepatitis C		
HWC-S	13.9.2	Total number of blood samples tested positive by ELISA/ Rapid tests for viral hepatitis		
HWC-S	13.9.2.a	Total number of blood samples tested positive by ELISA/ Rapid tests for Hepatitis B		
HWC-S	13.9.2.b	Total number of blood samples tested positive by ELISA/ Rapid tests for Hepatitis C		
HWC-S	13.9.3	Hepatitis B in pregnancy		
HWC-S	13.9.3.a	Number of Pregnant Women tested for HBsAg		
HWC-S	13.9.3.b	Number of Pregnant Women who are HBsAg positive		
HWC-S	13.9.3.c	Number of Pregnant Women found positive for HBsAg referred to higher centre for institutional delivery		
HWC-S	13.9.3.d	Number of New Borns to Pregnant Women (found positive for HBsAg) received hepatitis B birth dose		
HWC-S	M14	Laboratory Testing		
HWC-S	14.1	Total Number of Lab Tests		
HWC-S	14.1.1	Total Number of Lab Tests done- Inhouse		
HWC-S	14.1.2	Total Number of Lab Tests done- Outsourced		
HWC-S	14.2	Hb Tests Conducted		
HWC-S	14.2.1	Number of Hb tests conducted		
HWC-S	14.2.2	Out of the total number of Hb tests done, Number having Hb < 7 mg		
HWC-S	14.3	HIV tests among persons other than ANC		
HWC-S	14.3.1.a	Number of males screened for HIV by Whole Blood Finger Prick/RDT test/POC test		
HWC-S	14.3.1.b	Out of the above, No. of males found reactive for HIV		
HWC-S	14.3.1.c	Out of the above, No. of HIV reactive males subjected to HIV test at Confirmatory Centre (Stand Alone-ICTC)		
HWC-S	14.3.1.d	Out of the above, No. of males confirmed as HIV Positive		
HWC-S	14.3.2.a	Number of females (non-ANC) screened for HIV by Whole Blood Finger Prick/RDT test/POC test		
HWC-S	14.3.2.b	Out of the above, No. of females (non-ANC) found reactive for HIV		
HWC-S	14.3.2.c	Out of the above, No. of HIV reactive females (non-ANC) subjected to HIV test at Confirmatory Centre (Stand Alone-ICTC)		
HWC-S	14.3.2.d	Out of the above, No. of females (non-ANC) confirmed as HIV Positive		

Facility Type	Facility Code	Data Item	Numbers reported during the month(In-facility)	Numbers reported during the month(Outreach)
HWC-S	14.3.3.a	Number of Pregnant Women (PW-ANC) screened for HIV by Whole Blood Finger Prick/RDT test/POC test		
HWC-S	14.3.3.b	Out of the above, No. of PW(ANC) found reactive for HIV		
HWC-S	14.3.3.c	Out of the above, No. of HIV reactive PW(ANC) subjected to HIV test at Confirmatory Centre (Stand Alone-ICTC)		
HWC-S	14.3.3.d	Out of the above, No. of PW(ANC) confirmed as HIV Positive		
HWC-S	14.3.3.e	Number of Pregnant Women (ANC&DIL) screened for HIV more than once(Repeated testing)		
HWC-S	14.3.4.a	Number of H/TG people screened for HIV by Whole Blood Finger Prick/RDT test/POC test		
HWC-S	14.3.4.b	Out of the above, No. of H/TG people found reactive for HIV		
HWC-S	14.3.4.c	Out of the above, No. of HIV reactive H/TG people subjected to HIV test at Confirmatory Centre (Stand Alone-ICTC)		
HWC-S	14.3.4.d	Out of the above, No. of H/TG people confirmed as HIV Positive		
HWC-S	14.4	STI/RTI attendees Tested for Syphilis		
HWC-S	14.4.1.a	Total number of males tested for Syphilis (RPR/VDRL/PoC/ RDT/TPHA)		
HWC-S	14.4.1.b	Out of the above, number of males tested reactive for Syphilis (RPR/VDRL/PoC/ RDT/TPHA)		
HWC-S	14.4.1.c	Out of the above, number of males treated for Syphilis		
HWC-S	14.4.2.a	Total number of female (non-ANC) tested for Syphilis (RPR/VDRL/PoC/ RDT/TPHA)		
HWC-S	14.4.2.b	Out of the above, number of females (non-ANC) tested reactive for Syphilis (RPR/VDRL/PoC/ RDT/TPHA)		
HWC-S	14.4.2.c	Out of the above, number of females (non-ANC) treated for Syphilis		
HWC-S	14.4.3.a	Total number of H/TG people tested for Syphilis (RPR/VDRL/PoC/ RDT/TPHA)		
HWC-S	14.4.3.b	Out of the above, number of H/TG people tested reactive for Syphilis (RPR/VDRL/PoC/ RDT/TPHA)		
HWC-S	14.4.3.c	Out of the above, number of H/TG people treated for Syphilis		
HWC-S	Part C.	Mortality Details		
HWC-S	M15	Details of deaths reported with probable causes:		
HWC-S	15.1.1.a	New born deaths within 24 hrs(1 to 23 Hrs 59 minutes) of birth at Facility/Facility to facility in transit		
HWC-S	15.1.1.b	New born deaths within 24 hrs(1 to 23 Hrs 59 minutes) of birth in Community (at home or home to facility transit)		
HWC-S	15.1.2.a	New born deaths within 1 week (1 to 7 days) at Facility/Facility to facility in transit		
HWC-S	15.1.2.b	New born deaths within 1 week (1 to 7 days) At Community (at home or home to facility transit)		
HWC-S	15.1.3.a	New born deaths within 8 to 28 days at Facility/Facility to facility in transit		
HWC-S	15.1.3.b	New born deaths within 8 to 28 days At Community (at home or home to facility transit)		
HWC-S	15.1.4.a	Infant Deaths (1 to 12 month) at Facility/Facility to facility in transit		
HWC-S	15.1.4.b	Infant Deaths (1 to 12 month) At Community (at home or home to facility transit)		
HWC-S	15.2	Neonatal Deaths up to 4 weeks (0 to 28 days) due to		
HWC-S	15.2.1.	Neonatal Deaths up to 4 weeks (0 to 28 days) due to Sepsis		
HWC-S	15.2.2.	Neonatal Deaths up to 4 weeks (0 to 28 days) due to Asphyxia		
HWC-S	15.2.3.	Neonatal Deaths up to 4 weeks due to complications of Prematurity		
HWC-S	15.2.4.	Neonatal Deaths up to 4 weeks (0 to 28 days) due to Other causes		
HWC-S	15.3	Infant Deaths Between 1 month (more than 28 days) and less than 12 months due to		
HWC-S	15.3.1.	Number of Infant Deaths (1 -12 months) due to Pneumonia		
HWC-S	15.3.2.	Number of Infant Deaths (1 -12 months) due to Diarrhoea		
HWC-S	15.3.3.	Number of Infant Deaths (1 -12 months) due to Fever related		
HWC-S	15.3.4.	Number of Infant Deaths (1 -12 months) due to Measles		

Facility Type	Facility Code	Data Item	Numbers reported during the month(In-facility)	Numbers reported during the month(Out each)
HWC-S	15.3.5.	Number of Infant Deaths (1 -12 months) due to Others		
HWC-S	15.4	Child Deaths between 1 year and less than 5 years due to		
HWC-S	15.4.1.	Number of Child Deaths (1 -5 years) due to Pneumonia		
HWC-S	15.4.2.	Number of Child Deaths (1 -5 years) due to Diarrhoea		
HWC-S	15.4.3.	Number of Child Deaths (1 -5 years) due to Fever related		
HWC-S	15.4.4.	Number of Child Deaths (1 -5 years) due to Measles		
HWC-S	15.4.5.	Number of Child Deaths (1 -5 years) due to Others		
HWC-S	15.5	Maternal Deaths (15 to 49 yrs.) due to		
HWC-S	15.5.1.	Number of Maternal Deaths due to APH (Antepartum Haemorrhage)		
HWC-S	15.5.2.	Number of Maternal Deaths due to PPH (Post-partum Haemorrhage)		
HWC-S	15.5.3.	Number of Maternal Deaths due to Pregnancy related infection and sepsis, Fever		
HWC-S	15.5.4.	Number of Maternal Deaths due to Abortive complication		
HWC-S	15.5.5.	Number of Maternal Deaths due to Obstructed/prolonged labour		
HWC-S	15.5.6.	Number of Maternal Deaths due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium		
HWC-S	15.5.7.	Number of Maternal Deaths due to UNKNOWN Causes		
HWC-S	15.5.8.	Total Maternal Deaths, occurred at Facility		
HWC-S	15.5.8.a	Out of total number of maternal deaths, deaths with age<15 years		
HWC-S	15.5.8.b	Out of total number of maternal deaths, deaths with age 15-19 years		
HWC-S	15.5.8.c	Out of total number maternal deaths, deaths with age more than >19-49 years		
HWC-S	15.5.8.d	Out of total number maternal deaths, deaths with age more than >49 years		
HWC-S	15.6	Other Deaths (except Infant, Child & Maternal Deaths) 5 years and above due to		
HWC-S	15.6.1.	Number of deaths due to Diarrhoeal diseases		
HWC-S	15.6.2.	Number of deaths due to Tuberculosis		
HWC-S	15.6.3.	Number of deaths due to Respiratory diseases including infections (other than TB)		
HWC-S	15.6.4.	Number of deaths due to Other Fever Related		
HWC-S	15.6.5.	Number of deaths due to Heart disease/Hypertension related		
HWC-S	15.6.6.	Number of deaths due to Cancer		
HWC-S	15.6.7.	Number of deaths due to Neurological disease including strokes		
HWC-S	15.6.8.	Number of deaths due to Accidents/Burn cases		
HWC-S	15.6.9.	Number of deaths due to Self Harm		
HWC-S	15.6.10.	Number of deaths due to Animal bites and stings		
HWC-S	15.6.11.	Number of deaths due to Known Acute Disease		
HWC-S	15.6.12.	Number of deaths due to Known Chronic Disease		
HWC-S	15.6.13.	Number of deaths due to Other Causes		
HWC-S	15.7.	Deaths due to Vector Borne Diseases (all age groups)		
HWC-S	15.7.1.	Number of Deaths due to Malaria- Plasmodium Vivax		
HWC-S	15.7.2.	Number of Deaths due to Malaria- Plasmodium Falciparum		
HWC-S	15.8	Total Deaths in the facility (above 5 years of age)		
HWC-S	15.8.1	Above 5 years to below 10 years		
HWC-S	15.8.2	Above 10 years to below 19 years		
HWC-S	15.8.3	Adult above >19 years		
HWC-S	M.16	QA (Quality Assurance) & BEMMP (Biomedical Equipment Management & Maintenance Program)		
HWC-S	16.1	EQAS Compliance		
HWC-S	16.1.1.	Total Quantity of Bio medical waste generated in Kg for the month - (All Yellow, Red, white & Blue)		
HWC-S	16.1.2.	Total Quantity of General waste generated in Kg for the month		